



Overview

The new Secabo T60 II cutting plotter with modern automatic functions is ideal for editing large plots and large quantities in professional quality. With its powerful servo motor, all common materials can be processed up to a maximum cutting width of 63 and a media width of up to 72 centimeters. The integrated multi-registration mark recognition system LAPOS Q automatically registers set registration marks, so that even free forms can be precisely cut. An automatic media recognition adjusts the software to the inserted film width. The backlit LCD display and large gel buttons make the application easy and convenient. The Secabo T60 II vinyl cutter is designed for a maximum media width of 72 centimeters and a maximum cutting width of 63 centimeters. The scope of supply includes the cutting software DrawCut PRO for Windows as well as a stable stand with roll holder and a practical collection basket.

Features



high precision

High precision for cutting of smallest fonts and objects.



servo drives

silent, precise and powerful servo drives for best cutting results



Plug and play

simple installation, no additional drivers necessary



DrawCut PRO

DrawCut PRO included - with control for LAPOS XPT, vectorization, text to path, shading, etc.



LAPOS Q

State-of-the-art contour cutting function for Print&Cut applications, automatic continuous recognition of register marks



Mac compatible

This product is also available as a mac compatible version with the SignCut software (without LAPOS).



Easy menu navigation

comfortable control panel with illuminated LCD-display and large buttons



64bit enabled

The device can be controlled by 64bit operating systems.

Technical Data

dimensions	92cm x 26cm x 26cm
weight without packaging	12 kg
Weight with packaging and stand	22 kg
scope of delivery	Cutting plotter, multilingual cutting software DrawCut PRO (Windows), drag-blade, ball-bearing knife holder, plotter pen, DIN A3 plotting board, connecting cable, stand with roller holder and collecting basket, user manual in German language
control	back-illuminated graphic LCD display with gel buttons
countour cutting function	LAPOS Q, sequential cut marks
max. downforce	50 - 750 g
max. media width	720 mm
max. media thickness	1 mm
max. cutting size	630 mm
max. cutting speed	960 mm/s
mech. resolution	0,01254 mm
interfaces	USB
motor	servomotor
Brand	Secabo

Views

